APPROVALS®

Certificate of Conformity

Certificate No.: **SAA-170312-EA**

Certificate Holder:

Regulatory Definition:	Plug
Product Description:	Two-pin non-rewireable Plug moulded to supply flexible cord H03VVH2-F 2x0.75mm², H05VVH2-F 2x0.75-1.0mm² (Approval No. ESO130530) or H05RR-F 2x0.75-1.0mm² (Approval No. SAA-162681-EA)
Trade Name:	
Model No.:	XR-251
Markings:	250Vac 10A
Standard:	AS/NZS 3112:2017 AS/NZS 3100:2017 Inc A1
Conditions:	Nil
Approval Mark:	RCM and SAA-170312-EA
Date First Registered:	24 February 2017
Date of Expiry:	24 February 2022

For and on Behalf of
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 and declared a RECS under *Qld Electrical Safety Act 2002 and Electrical Safety Regulations 2013* certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:

www.saaapprovals.com.au

JAS-ANZ

www.jas-anz.org/register

SAA Approvals CERTIFIED

Issued: 10-03-20 170312/1b
Reissued under RECS Scheme

APPROVALS®

Certificate of Conformity

Addendum

Certificate No.: **SAA-170312-EA**

Date of Issue: **10 March 2020**

Regulatory Definition: Plug

Product Description: Two-pin non-rewireable Plug moulded to supply flexible cord H03VVH2-F 2x0.75mm², H05VVH2-F 2x0.75-1.0mm² (Approval No. ESO130530) or H05RR-F 2x0.75-1.0mm² (Approval No. SAA-162681-EA)

General Modification:

Use of alternative flexible cord H03VVH2-F 2x0.75mm², H05VVH2-F 2x0.75-1.0mm² (Approval no. SAA-182409-EA), H05RN-F 2x0.75-1.0mm² and H05RR-F 2x0.75-1.0mm² (Approval no. SAA-162681-EA).

Additional Models	Trade Name	Rating	Description
MP2X		250V~ 10A	Two-pin non-rewireable plug moulded with flexible cord H03VVH2-F 2x0.75mm², H05VVH2-F 2x0.75-1.0mm² (Approval no. SAA-182409-EA), H05RN-F 2x0.75-1.0mm² and H05RR-F 2x0.75-1.0mm² (Approval no. SAA-162681-EA).
XR-251A		250V~ 3/7.5/10A	For model rated 3/7.5A: Two-pin non-rewireable plug moulded with flexible cord H03VVH2-F 2x0.5-0.75mm², H03VV-F 2x0.5-0.75mm², H05VVH2-F 2x0.75-1.0mm², H05VV-F 2x0.75-1.0mm² (Approval no. SAA-182409-EA) and H05RR-F 2x0.75-1.0mm², H05RN-F 2x0.75-1.0mm² (Approval no. SAA-162681-EA) For model rated 10A: Two-pin non-rewireable plug moulded with flexible cord H03VVH2-F 2x0.75mm², H03VV-F 2x0.75mm², H05VVH2-F 2x0.75-1.0mm², H05VV-F 2x0.75-1.0mm² (Approval no. SAA-182409-EA) and H05RR-F 2x0.75-1.0mm², H05RN-F 2x0.75-1.0mm² (Approval no. SAA-162681-EA)

For and on Behalf of
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 and declared a RECS under *Qld Electrical Safety Act 2002 and Electrical Safety Regulations 2013* certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:

www.saaapprovals.com.au

JAS-ANZ

www.jas-anz.org/register

SAA Approvals CERTIFIED

Issued: 11-03-20 170312/2a
Correction to Description

APPROVALS®

Certificate of Conformity

Addendum

Certificate No.: **SAA-170312-EA**

Date of Issue: **10 March 2020**

Regulatory Definition: Plug

Product Description: Two-pin non-rewireable Plug moulded to supply flexible cord H03VVH2-F 2x0.75mm², H05VVH2-F 2x0.75-1.0mm² (Approval No. ESO130530) or H05RR-F 2x0.75-1.0mm² (Approval No. SAA-162681-EA)

Additional Models	Trade Name	Rating	Description
DS-210	DOSS	250V~ 3/7.5/10A	For model rated 3/7.5A: Two-pin non-rewireable plug moulded with flexible cord H03VVH2-F 2x0.5-0.75mm², H03VV-F 2x0.5-0.75mm², H05VVH2-F 2x0.75-1.0mm², H05VV-F 2x0.75-1.0mm² (Approval no. SAA-182409-EA) and H05RR-F 2x0.75-1.0mm², H05RN-F 2x0.75-1.0mm² (Approval no. SAA-162681-EA) For model rated 10A: Two-pin non-rewireable plug moulded with flexible cord H03VVH2-F 2x0.75mm², H03VV-F 2x0.75mm², H05VVH2-F 2x0.75-1.0mm², H05VV-F 2x0.75-1.0mm² (Approval no. SAA-182409-EA) and H05RR-F 2x0.75-1.0mm², H05RN-F 2x0.75-1.0mm² (Approval no. SAA-162681-EA)
PL2		250V~ 3/7.5/10A	For model rated 3/7.5A: Two-pin non-rewireable plug moulded with flexible cord H03VVH2-F 2x0.5-0.75mm², H03VV-F 2x0.5-0.75mm², H05VVH2-F 2x0.75-1.0mm², H05VV-F 2x0.75-1.0mm² (Approval no. SAA-182409-EA) and H05RR-F 2x0.75-1.0mm², H05RN-F 2x0.75-1.0mm² (Approval no. SAA-162681-EA) For model rated 10A: Two-pin non-rewireable plug moulded with flexible cord H03VVH2-F 2x0.75mm², H03VV-F 2x0.75mm², H05VVH2-F 2x0.75-1.0mm², H05VV-F 2x0.75-1.0mm² (Approval no. SAA-182409-EA) and H05RR-F 2x0.75-1.0mm², H05RN-F 2x0.75-1.0mm² (Approval no. SAA-162681-EA)

For and on Behalf of
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 and declared a RECS under *Qld Electrical Safety Act 2002 and Electrical Safety Regulations 2013* certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:

www.saaapprovals.com.au

JAS-ANZ

www.jas-anz.org/register

SAA Approvals CERTIFIED

Issued: 11-03-20 170312/3a
Correction to Description

APPROVALS®

Certificate of Approval

Certificate No.: **SAA-182409-EA**

Certificate Holder:

Class Description:	Supply Flexible Cord
Product Description:	Supply Flexible Cord
Brand Name:	
Model No.:	4V-75 H03VVH2-F 2x0.5mm²
Markings:	250/250V Light Duty, Flat
Standard:	AS/NZS 3191:2008
Conditions:	Nil
Approval Mark:	SAA-182409-EA or RCM
Date First Registered:	28 September 2018
Date of Expiry:	28 September 2023

For and on Behalf of
SAA Approvals Pty Ltd

SAA Approvals CERTIFIED

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:
www.saaapprovals.com.au

JAS-ANZ
www.jas-anz.org/register

Issued: 28-09-18 182409/1

APPROVALS®

Certificate of Approval

Addendum

Certificate No.: **SAA-182409-EA**

Date of Issue: **28 September 2018**

Class Description: Supply Flexible Cord
Product Description: Supply Flexible Cord

Additional Models	Description
4V-75 H03VVH2-F 2x0.75mm²	250/250V, Light Duty, Flat Trade Name:
4V-75 H03VV-F 2x0.5mm²	250/250V, Light Duty, Circular Trade Name:
4V-75 H03VV-F 2x0.75mm²	250/250V, Light Duty, Circular Trade Name:
4V-75 H03VV-F 3x0.5mm²	250/250V, Light Duty, Circular Trade Name:
4V-75 H03VV-F 3x0.75mm²	250/250V, Light Duty, Circular Trade Name:
4V-75 H05VVH2-F 2x0.75mm²	250/440V, Ordinary Duty, Flat Trade Name:
4V-75 H05VVH2-F 2x1.0mm²	250/440V, Ordinary Duty, Flat Trade Name:
4V-75 H05VV-F 2x0.75mm²	250/440V, Ordinary Duty, Circular Trade Name:
4V-75 H05VV-F 2x1.0mm²	250/440V, Ordinary Duty, Circular Trade Name:
4V-75 H05VV-F 2x1.5mm²	250/440V, Ordinary Duty, Circular Trade Name:

For and on Behalf of
SAA Approvals Pty Ltd

SAA Approvals CERTIFIED

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:
www.saaapprovals.com.au

JAS-ANZ
www.jas-anz.org/register

Issued: 28-09-18 182409/2

APPROVALS®

Certificate of Approval

Addendum

Certificate No.: **SAA-182409-EA**

Date of Issue: **28 September 2018**

Class Description: Supply Flexible Cord
Product Description: Supply Flexible Cord

Additional Models	Description
4V-75 H05VV-F 2x2.5mm²	250/440V, Ordinary Duty, Circular Trade Name:
4V-75 H05VV-F 3x0.75mm²	250/440V, Ordinary Duty, Circular Trade Name:
4V-75 H05VV-F 3x1.0mm²	250/440V, Ordinary Duty, Circular Trade Name:
4V-75 H05VV-F 3x1.5mm²	250/440V, Ordinary Duty, Circular Trade Name:
4V-75 H05VV-F 3x2.5mm²	250/440V, Ordinary Duty, Circular Trade Name:
PC2 4V-75 H03VVH2-F 2x0.75mm²	250/250V, Light Duty, Flat Trade Name:
PC21 4V-75 H05VVH2-F 2x0.75mm²	250/440V, Ordinary Duty, Flat Trade Name:
PC3 4V-75 H05VV-F 3x0.75mm²	250/440V, Ordinary Duty, Circular Trade Name:
PC31 4V-75 H05VV-F 3x1.0mm²	250/440V, Ordinary Duty, Circular Trade Name:
PC32 4V-75 H05VV-F 3x1.5mm²	250/440V, Ordinary Duty, Circular Trade Name:

For and on Behalf of
SAA Approvals Pty Ltd

SAA Approvals CERTIFIED

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:
www.saaapprovals.com.au

JAS-ANZ
www.jas-anz.org/register

Issued: 28-09-18 182409/3

APPROVALS®

Certificate of Approval

Addendum

Certificate No.: **SAA-182409-EA**

Date of Issue: **15 April 2019**

Class Description: Supply Flexible Cord
Product Description: Supply Flexible Cord

General Modification:
Use of alternative trade name DOSS.

R.A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

SAA Approvals CERTIFIED

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:
www.saaapprovals.com.au

JAS-ANZ
www.jas-anz.org/register

Issued: 15-04-19 182409/4

APPROVALS®

Certificate of Conformity

Certificate No.: **SAA-201552-EA**

Certificate Holder:

Regulatory Definition:	Appliance Connector
Product Description:	C13 Appliance Connector for Class I Equipment for Cold Conditions moulded with Flexible Cord H05VV-F3G0.75-1.5mm² (Approval No. SAA-182409-EA); or H05RN-F 3G0.75-1.0mm² or H05RR-F 3G0.75-1.5mm² (Approval No. SAA-162681-EA)
Trade Name:	
Model No.:	XR-501
Rating/Marking:	250V~ 10A
Standard:	AS/NZS 60320.1:2012
Conditions:	Nil
Approval Mark:	RCM and SAA-201552-EA
Date First Registered:	3 July 2020
Date of Expiry:	3 July 2025

R A Nill

For and on Behalf of
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 and declared a RECS under *Qld Electrical Safety Act 2002 and Electrical Safety Regulations 2013* certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:
www.saaapprovals.com.au

JAS-ANZ
www.jas-anz.org/register

SAA Approvals
CERTIFIED

Issued: 07-07-20 201552/1a
Certificate Information amended

APPROVALS®

Certificate of Conformity

Addendum

Certificate No.: **SAA-201552-EA**

Date of Issue: **3 July 2020**

Regulatory Definition: Appliance Connector

Product Description: C13 Appliance Connector for Class I Equipment for Cold Conditions moulded with Flexible Cord
H05VV-F3G0.75-1.5mm² (Approval No. SAA-182409-EA); or
H05RN-F 3G0.75-1.0mm² or H05RR-F 3G0.75-1.5mm²
(Approval No. SAA-162681-EA)

Additional Models	Trade Name	Rating/Marking	Description
C13		250V~ 10A	C13 Appliance Connector for Class I Equipment for Cold Conditions moulded with Flexible Cord H05VV-F3G0.75-1.5mm² (Approval No. SAA-182409-EA); or H05RN-F 3G0.75-1.0mm² or H05RR-F 3G0.75-1.5mm² (Approval No. SAA-162681-EA).
DS-C13	DOSS	250V~ 10A	C13 Appliance Connector for Class I Equipment for Cold Conditions moulded with Flexible Cord H05VV-F3G0.75-1.5mm² (Approval No. SAA-182409-EA); or H05RN-F 3G0.75-1.0mm² or H05RR-F 3G0.75-1.5mm² (Approval No. SAA-162681-EA).
XR-501L		250V~ 10A	C13 Appliance Connector for Class I Equipment for Cold Conditions moulded with Flexible Cord H05VV-F3G0.75-1.5mm² (Approval No. SAA-182409-EA); or H05RN-F 3G0.75-1.0mm² or H05RR-F 3G0.75-1.5mm² (Approval No. SAA-162681-EA).
C13L		250V~ 10A	C13 Appliance Connector for Class I Equipment for Cold Conditions moulded with Flexible Cord H05VV-F3G0.75-1.5mm² (Approval No. SAA-182409-EA); or H05RN-F 3G0.75-1.0mm² or H05RR-F 3G0.75-1.5mm² (Approval No. SAA-162681-EA).

R A Nill

For and on Behalf of
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 and declared a RECS under *Qld Electrical Safety Act 2002 and Electrical Safety Regulations 2013* certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:
www.saaapprovals.com.au

JAS-ANZ
www.jas-anz.org/register

SAA Approvals CERTIFIED

Issued: 07-07-20 201552/2a
Certificate Information amended

APPROVALS®

Certificate of Conformity

Addendum

Certificate No.: **SAA-201552-EA**

Date of Issue: **3 July 2020**

Regulatory Definition: Appliance Connector

Product Description: C13 Appliance Connector for Class I Equipment for Cold Conditions moulded with Flexible Cord
H05VV-F3G0.75-1.5mm² (Approval No. SAA-182409-EA); or
H05RN-F 3G0.75-1.0mm² or H05RR-F 3G0.75-1.5mm²
(Approval No. SAA-162681-EA)

Additional Models	Trade Name	Rating/Marking	Description
DS-C13L	DOSS	250V~ 10A	C13 Appliance Connector for Class I Equipment for Cold Conditions moulded with Flexible Cord H05VV-F3G0.75-1.5mm² (Approval No. SAA-182409-EA); or H05RN-F 3G0.75-1.0mm² or H05RR-F 3G0.75-1.5mm² (Approval No. SAA-162681-EA).
XR-501R		250V~ 10A	C13 Appliance Connector for Class I Equipment for Cold Conditions moulded with Flexible Cord H05VV-F3G0.75-1.5mm² (Approval No. SAA-182409-EA); or H05RN-F 3G0.75-1.0mm² or H05RR-F 3G0.75-1.5mm² (Approval No. SAA-162681-EA).
C13R		250V~ 10A	C13 Appliance Connector for Class I Equipment for Cold Conditions moulded with Flexible Cord H05VV-F3G0.75-1.5mm² (Approval No. SAA-182409-EA); or H05RN-F 3G0.75-1.0mm² or H05RR-F 3G0.75-1.5mm² (Approval No. SAA-162681-EA).
DS-C13R	DOSS	250V~ 10A	C13 Appliance Connector for Class I Equipment for Cold Conditions moulded with Flexible Cord H05VV-F3G0.75-1.5mm² (Approval No. SAA-182409-EA); or H05RN-F 3G0.75-1.0mm² or H05RR-F 3G0.75-1.5mm² (Approval No. SAA-162681-EA).

R A Nill

For and on Behalf of
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 and declared a RECS under *Qld Electrical Safety Act 2002 and Electrical Safety Regulations 2013* certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:
www.saaapprovals.com.au

JAS-ANZ
www.jas-anz.org/register

SAA Approvals CERTIFIED

Issued: 07-07-20 201552/3

APPROVALS®

Certificate of Conformity

Addendum

Certificate No.: **SAA-201552-EA**

Date of Issue: **3 July 2020**

Regulatory Definition: Appliance Connector

Product Description: C13 Appliance Connector for Class I Equipment for Cold Conditions moulded with Flexible Cord
H05VV-F3G0.75-1.5mm² (Approval No. SAA-182409-EA); or
H05RN-F 3G0.75-1.0mm² or H05RR-F 3G0.75-1.5mm²
(Approval No. SAA-162681-EA)

Additional Models	Trade Name	Rating/Marking	Description
XR-503		250V~ 2.5A	C7 Appliance Connector for Class II Equipment and Cold Conditions moulded with Flexible Cord H05VVH2-F 2x0.75mm² or H03VVH2-F 2x0.5-0.75mm² (Approval No. SAA-182409-EA).
C7		250V~ 2.5A	C7 Appliance Connector for Class II Equipment and Cold Conditions moulded with Flexible Cord H05VVH2-F 2x0.75mm² or H03VVH2-F 2x0.5-0.75mm² (Approval No. SAA-182409-EA).
DS-C7	DOSS	250V~ 2.5A	C7 Appliance Connector for Class II Equipment and Cold Conditions moulded with Flexible Cord H05VVH2-F 2x0.75mm² or H03VVH2-F 2x0.5-0.75mm² (Approval No. SAA-182409-EA).
XR-503L		250V~ 2.5A	C7 Appliance Connector for Class II Equipment and Cold Conditions moulded with Flexible Cord H05VVH2-F 2x0.75mm² or H03VVH2-F 2x0.5-0.75mm² (Approval No. SAA-182409-EA).

R A Nill

For and on Behalf of
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 and declared a RECS under *Qld Electrical Safety Act 2002 and Electrical Safety Regulations 2013* certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:
www.saaapprovals.com.au

JAS-ANZ
www.jas-anz.org/register

SAA Approvals CERTIFIED

Issued: 07-07-20 201552/4

APPROVALS®

Certificate of Conformity

Addendum

Certificate No.: **SAA-201552-EA**

Date of Issue: **3 July 2020**

Regulatory Definition: Appliance Connector

Product Description: C13 Appliance Connector for Class I Equipment for Cold Conditions moulded with Flexible Cord
H05VV-F3G0.75-1.5mm² (Approval No. SAA-182409-EA); or
H05RN-F 3G0.75-1.0mm² or H05RR-F 3G0.75-1.5mm²
(Approval No. SAA-162681-EA)

Additional Models	Trade Name	Rating/Marking	Description
C7L		250V~ 2.5A	C7 Appliance Connector for Class II Equipment and Cold Conditions moulded with Flexible Cord H05VVH2-F 2x0.75mm² or H03VVH2-F 2x0.5-0.75mm² (Approval No. SAA-182409-EA).
DS-C7L	DOSS	250V~ 2.5A	C7 Appliance Connector for Class II Equipment and Cold Conditions moulded with Flexible Cord H05VVH2-F 2x0.75mm² or H03VVH2-F 2x0.5-0.75mm² (Approval No. SAA-182409-EA).

R A Nill

For and on Behalf of
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 and declared a RECS under *Qld Electrical Safety Act 2002 and Electrical Safety Regulations 2013* certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:
www.saaapprovals.com.au

JAS-ANZ
www.jas-anz.org/register

SAA Approvals CERTIFIED

Issued: 07-07-20 201552/5