

24 November 2014
C/O: Intertek Testing Services Shanghai Ltd
Building No.86,
1198 Qingzhou Road (North),
Shanghai 200233,
P. R. China

Dear Sir / Madam,

APPROVAL OF PRESCRIBED EQUIPMENT

Enclosed is the Certificate(s) in respect to your recent application received by Queensland Government (ESO).

Please take time to check the certificate to ensure that all details are correct in accordance with your application, and that you understand all of the conditions imposed on the approval.

Should you have any queries, please contact Ben Taylor on telephone ,or email ben.taylor@justice.qld.gov.au

Any samples that accompanied your application are available for collection, and if not collected within 20 business days of the date hereon may be disposed of.

Notification must be given to Queensland Government (ESO) of any change of registered Address within 20 business days.

Yours faithfully



DIRECTOR OF EQUIPMENT SAFETY

Ref: ESO130530/01

Certificate of Approval

This is to certify that the Director of Equipment Safety has approved the electrical equipment described hereunder.

Registered Declarant:

People's Republic of

Required Marking: ESO130530

Electrical equipment covered by this approval must comply in all respects with the approved article, and prior to being supplied or offered for supply, must be clearly and indelibly marked with the required marking indicated above, or the Regulatory Compliance Mark (RCM) provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled.

Any modifications to the electrical equipment or its place of manufacture must be approved by Queensland Government (ESO) prior to the equipment being supplied or offered for supply.

Notification must be given to Queensland Government (ESO) of any change to the name or address of the holder of the certificate within 20 business days.

ARTICLE DETAILS

| | |
|-------------------------|--|
| Electrical Equipment: | Prescribed Supply Flexible Cord Supply Flexible Cord |
| Relevant Standards: | AS/NZS3191:2008 |
| Expiry Date: | 04 November 2018 |
| Conditions of Approval: | Alternative certification mark Q080451 |



Certificate Number: ESO130530/01



Approval details

| | |
|------------|---|
| Model | 227 IEC 52 (H03VVH2-F) 2×0.75mm ² |
| Rated at | Input: 250/250V, |
| Trade Name | DOSS |
| Comments | |

| | |
|------------|---|
| Model | 227 IEC 52 (H03VVH2-F) 2×0.5mm ² |
| Rated at | Input: 250/250V, |
| Trade Name | DOSS |
| Comments | |

| | |
|------------|---|
| Model | 227 IEC 52 (H03VV-F) 2×0.5mm ² |
| Rated at | Input: 250/250V, |
| Trade Name | DOSS |
| Comments | |

| | |
|------------|--|
| Model | 227 IEC 52 (H03VV-F) 2×0.75mm ² |
| Rated at | Input: 250/250V, |
| Trade Name | DOSS |
| Comments | |

| | |
|------------|---|
| Model | 227 IEC 52 (H03VV-F) 3×0.5mm ² |
| Rated at | Input: 250/250V, |
| Trade Name | DOSS |
| Comments | |

| | |
|------------|--|
| Model | 227 IEC 52 (H03VV-F) 3×0.75mm ² |
| Rated at | Input: 250/250V, |
| Trade Name | DOSS |
| Comments | |

A handwritten signature in blue ink, appearing to be 'B. R. H.', written over a horizontal line.

Certificate Number: ESO130530/01



| | |
|------------|---|
| Model | 227 IEC 53 (H05VVH2-F) 2×0.75mm ² |
| Rated at | Input: 250/440V, |
| Trade Name | DOSS |
| Comments | |

| | |
|------------|---|
| Model | 227 IEC 53 (H05VVH2-F) 2×1.0mm ² |
| Rated at | Input: 250/440V, |
| Trade Name | DOSS |
| Comments | |

| | |
|------------|--|
| Model | 227 IEC 53 (H05VV-F) 2×0.75mm ² |
| Rated at | Input: 250/440V, |
| Trade Name | DOSS |
| Comments | |

| | |
|------------|---|
| Model | 227 IEC 53 (H05VV-F) 2×1.0mm ² |
| Rated at | Input: 250/440V, |
| Trade Name | DOSS |
| Comments | |

| | |
|------------|---|
| Model | 227 IEC 53 (H05VV-F) 2×1.5mm ² |
| Rated at | Input: 250/440V, |
| Trade Name | DOSS |
| Comments | |

| | |
|------------|---|
| Model | 227 IEC 53 (H05VV-F) 2×2.5mm ² |
| Rated at | Input: 250/440V, |
| Trade Name | DOSS |
| Comments | |

| | |
|----------|--|
| Model | 227 IEC 53 (H05VV-F) 3×0.75mm ² |
| Rated at | Input: 250/440V, |

A handwritten signature in blue ink, appearing to be 'B. R. H.', written in a cursive style.

Certificate Number: ESO130530/01



| | |
|------------|------|
| Trade Name | DOSS |
| Comments | |

| | |
|------------|---|
| Model | 227 IEC 53 (H05VV-F) 3×1.0mm ² |
| Rated at | Input: 250/440V, |
| Trade Name | DOSS |
| Comments | |

| | |
|------------|---|
| Model | 227 IEC 53 (H05VV-F) 3×1.5mm ² |
| Rated at | Input: 250/440V, |
| Trade Name | DOSS |
| Comments | |

| | |
|------------|---|
| Model | 227 IEC 53 (H05VV-F) 3×2.5mm ² |
| Rated at | Input: 250/440V, |
| Trade Name | DOSS |
| Comments | |

A handwritten signature in blue ink, appearing to be 'B. R. H.'.

09 March 2015
C/O: Intertek Testing Services Shanghai Ltd
Building No.86,
1198 Qingzhou Road (North),
Shanghai 200233,
P. R. China

RADIO PARTS GROUP

Teresa Zheng
Dear Sir / Madam,

APPROVAL OF PRESCRIBED EQUIPMENT

Enclosed is the Certificate(s) in respect to your recent application received by Queensland Government (ESO).

Please take time to check the certificate to ensure that all details are correct in accordance with your application, and that you understand all of the conditions imposed on the approval.

Should you have any queries, please contact Pravin Venkatesan on telephone ,or email pravin.venkatesan@justice.qld.gov.au

Any samples that accompanied your application are available for collection, and if not collected within 20 business days of the date hereon may be disposed of.

Notification must be given to Queensland Government (ESO) of any change of registered Address within 20 business days.

Yours faithfully



DIRECTOR OF EQUIPMENT SAFETY

Ref: ESO150152/00

Certificate Number: ESO150152/00



Certificate of Approval

This is to certify that the Director of Equipment Safety has approved the electrical equipment described hereunder.

Registered Declarant: RADIO PARTS GROUP
562 SPENCER STREET, WEST MELBOURNE, VIC3003

Required Marking: ESO150152

Electrical equipment covered by this approval must comply in all respects with the approved article, and prior to being supplied or offered for supply, must be clearly and indelibly marked with the required marking indicated above, or the Regulatory Compliance Mark (RCM) provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled.

Any modifications to the electrical equipment or its place of manufacture must be approved by Queensland Government (ESO) prior to the equipment being supplied or offered for supply.

Notification must be given to Queensland Government (ESO) of any change to the name or address of the holder of the certificate within 20 business days.

ARTICLE DETAILS

| | |
|-------------------------|--|
| Electrical Equipment: | Prescribed Plug Non-Rewirable 3-Pin Plug |
| Relevant Standards: | AS/NZS3112:2011 including amendments 1 and 2. |
| Expiry Date: | 09 March 2020 |
| Conditions of Approval: | |

A handwritten signature in black ink, appearing to be "B. R. H.", written over a light blue rectangular background.

Certificate Number: ESO150152/00



Approval details

| | |
|------------|---|
| Model | DS-310 |
| Rated at | Input: 250Vac, 3A |
| Trade Name | DOSS |
| Comments | Moulded to supply flexible cords H03VV-F 3G0.5-0.75 mm ² , H05VV-F 3G0.75 mm ² (Q080451 or ESO130530); H03V2V2-F 3G0.5-0.75 mm ² , H05V2V2-F 3G0.75 mm ² (ESO120526). |

| | |
|------------|---|
| Model | DS-310 |
| Rated at | Input: 250Vac, 7.5A |
| Trade Name | DOSS |
| Comments | Moulded to supply flexible cords H03VV-F 3G0.5-0.75 mm ² , H05VV-F 3G0.75-1.0 mm ² (Q080451 or ESO130530); H03V2V2-F 3G0.5-0.75 mm ² , H05V2V2-F 3G0.75-1.0 mm ² (ESO120526). |

| | |
|------------|---|
| Model | DS-310 |
| Rated at | Input: 250Vac, 10A |
| Trade Name | DOSS |
| Comments | Moulded to supply flexible cords H03VV-F 3G0.75mm ² , H05VV-F 3G0.75-2.5mm ² (Q080451 or ESO130530), H03V2V2-F 3G0.75mm ² , H05V2V2-F 3G0.75-2.5mm ² (ESO120526). |

| | |
|------------|-------------------------------------|
| Model | DS-310R |
| Rated at | Input: 250Vac, 3A |
| Trade Name | DOSS |
| Comments | Moulded to supply cords H03VV-F 3 x |

A handwritten signature in black ink, appearing to be "B. R. H.", located below the table.

Certificate Number: ESO150152/00



| | |
|--|---|
| | 0.75mm ² ; H05VV-F 3 x 0.75 mm ² (Q080451 or ESO130530); H03V2V2-F 3 x 0.75 mm ² , H05V2V2-F 3 x 0.75 mm ² (ESO120526). |
|--|---|

| | |
|------------|--|
| Model | DS-310R |
| Rated at | Input: 250Vac, 7.5A |
| Trade Name | DOSS |
| Comments | Moulded to supply cords H03VV-F 3 x 0.75 mm ² ; H05VV-F 3 x 0.75-1.0 mm ² (Q080451 or ESO130530); H03V2V2-F 3 x 0.75 mm ² , H05V2V2-F 3 x 0.75-1.0 mm ² (ESO120526). |

| | |
|------------|---|
| Model | DS-310R |
| Rated at | Input: 250Vac, 10A |
| Trade Name | DOSS |
| Comments | Moulded to supply flexible cords H03VV-F 3 x 0.75 mm ² , H05VV-F 3 x 0.75-2.5 mm ² (Q080451 or ESO130530); H03V2V2-F 3 x 0.75 mm ² , H05V2V2-F 3 x 0.75-2.5 mm ² (ESO120526). |

A handwritten signature in black ink, appearing to be 'B. R. H.', written over a light blue rectangular background.



APPROVALS®

Certificate of Approval

Certificate No.: SAA-150764-EA

Certificate Holder: Radio Parts Pty Ltd.
562 Spencer Street
West Melbourne VIC 3003
Australia

Class Description: Appliance Connector
Product Description: C15 Non-rewireable Connector, Class I, Hot or Cold Conditions with Longitudinal Cord Entry

Brand Name: DOSS
Model No.: DS-C15
Markings: 10A 250V~
Standard: AS/NZS 60320.1:2012
Conditions: Nil

Approval Mark: SAA-150764-EA or RCM

Date First Registered: 27 April 2015

Date of Expiry: 27 April 2020

For and on Behalf of
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd Electrical Product Safety Certification Scheme as accredited by JAS-ANZ under ISO/IEC Guide 65 certifies that the electrical product described on this certificate complies with the minimum electrical safety requirements for which the application has been made.

For SAA Contact Details and to verify this Certificate go to:
www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 27-04-15 150764/1



APPROVALS®

Certificate of Approval

Addendum

Certificate No.: SAA-150764-EA

Date of Issue: 27 April 2015

Class Description: Appliance Connector
Product Description: C15 Non-rewireable Connector, Class I, Hot or Cold Conditions with Longitudinal Cord Entry

General Modification:

Model DS-C15 is fitted with the following flexible cords with maximum length of 2m for 3G 0.75mm² cords:

H05VV-F 3G 0.75-1.0mm² (Q080451);

H05RR-F 3G 0.75-1.0mm² (Q090028);

H05RN-F 3G 0.75-1.0mm² (Q090028);


H05RR-F 3G 0.75-1.0mm² (NSW23321); and

H05RN-F 3G 0.75-1.0mm² (NSW23319).

For and on Behalf of
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd Electrical Product Safety Certification Scheme as accredited by JAS-ANZ under ISO/IEC Guide 65 certifies that the electrical product described on this certificate complies with the minimum electrical safety requirements for which the application has been made.

For SAA Contact Details and to verify this Certificate go to:
www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 27-04-15 150764/2