

Certificate No.: SAA-182409-EA

Certificate Holder:

Class Description: Supply Flexible Cord Product Description: Supply Flexible Cord

Brand Name:

Model No.: 4V-75 H03VVH2-F 2x0.5mm²

Markings: 250/250V

Light Duty, Flat AS/NZS 3191:2008

Conditions: Nil

Approval Mark: SAA-182409-EA or RCM

Date First Registered: 28 September 2018
Date of Expiry: 28 September 2023

For and on Behalf of SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to: www.saaapprovals.com.au





Issued: 28-09-18 182409/1



Addendum

Certificate No.: SAA-182409-EA

Date of Issue: 28 September 2018

Class Description: Supply Flexible Cord Product Description: Supply Flexible Cord

Additional Models

4V-75 H03VVH2-F 2x0.75mm²

4V-75 H03VV-F 2x0.5mm²

4V-75 H03VV-F 2x0.75mm²

4V-75 H03VV-F 3x0.5mm²

4V-75 H03VV-F 3x0.75mm²

4V-75 H05VVH2-F 2x0.75mm²

4V-75 H05VVH2-F 2x1.0mm²

4V-75 H05VV-F 2x0.75mm²

4V-75 H05VV-F 2x1.0mm²

4V-75 H05VV-F 2x1.5mm²

Description

250/250V, Light Duty, Flat

Trade Name:

250/250V, Light Duty, Circular

Trade Name:

250/440V, Ordinary Duty, Flat

Trade Name:

250/440V, Ordinary Duty, Flat

Trade Name:

250/440V, Ordinary Duty, Circular

Trade Name:

250/440V, Ordinary Duty, Circular

Trade Name:

250/440V, Ordinary Duty, Circular

Trade Name:

For and on Behalf of SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to: www.saaapprovals.com.au





Issued: 28-09-18 182409/2



Addendum

Certificate No.: SAA-182409-EA

Date of Issue: 28 September 2018

Class Description: Supply Flexible Cord Product Description: Supply Flexible Cord

Additional Models

4V-75 H05VV-F 2x2.5mm²

4V-75 H05VV-F 3x0.75mm²

4V-75 H05VV-F 3x1.0mm²

4V-75 H05VV-F 3x1.5mm²

4V-75 H05VV-F 3x2.5mm²

PC2 4V-75 H03VVH2-F 2x0.75mm²
PC21 4V-75 H05VVH2-F 2x0.75mm²

PC3 4V-75 H05VV-F 3x0.75mm²

PC31 4V-75 H05VV-F 3x1.0mm²

PC32 4V-75 H05VV-F 3x1.5mm²

Description

250/440V, Ordinary Duty, Circular

Trade Name:

250/250V, Light Duty, Flat

Trade Name:

250/440V, Ordinary Duty, Flat

Trade Name:

250/440V, Ordinary Duty, Circular

Trade Name:

250/440V, Ordinary Duty, Circular

Trade Name:

250/440V, Ordinary Duty, Circular

Trade Name:

For and on Behalf of SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to: www.saaapprovals.com.au





Issued: 28-09-18 182409/3



Addendum

Certificate No.: SAA-182409-EA

Date of Issue: 15 April 2019

Class Description: Supply Flexible Cord Product Description: Supply Flexible Cord

General Modification:

Use of alternative trade name DOSS.

R. A. Nillo

For and on Behalf of SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to: www.saaapprovals.com.au





Issued: 15-04-19 182409/4



Certificate No.: SAA-193180-EA

Certificate Holder:

Class Description: Plug

Product Description: Non-rewireable three-pin plug moulded with flexible cord

H03VV-F 3x0.75mm², H05VV-F 3x0.75-2.5mm²

(Approval no. SAA-182409-EA), H05RR-F 3x0.75-2.5mm², H05RN-F 3x0.75-1.0mm² (Approval no. SAA-162681-EA) or H05V2V2-F 3x0.75-2.5mm² (Approval no. ESO180505)

Trade Name:

Model No.: XR-351A

Markings: 250V~ 3A or 7.5A or 10A

Standard: AS/NZS 3112:2017

AS/NZS 3100:2017 Inc A1

Conditions: Nil

Approval Mark: RCM and SAA-193180-EA


Date First Registered: 19 November 2019
Date of Expiry: 19 November 2024

R. A. Nills

For and on Behalf of SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 and declared a RECS under Qld Electrical Safety Act 2002 and Electrical Safety Regulations 2013 certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.







Issued: 19-11-19 193180/1



Addendum

Certificate No.: SAA-193180-EA

Date of Issue: 19 November 2019

Class Description: Plug

Product Description: Non-rewireable three-pin plug moulded with flexible cord

H03VV-F 3x0.75mm², H05VV-F 3x0.75-2.5mm²

(Approval no. SAA-182409-EA), H05RR-F 3x0.75-2.5mm², H05RN-F 3x0.75-1.0mm² (Approval no. SAA-162681-EA) or H05V2V2-F 3x0.75-2.5mm² (Approval no. ESO180505)


Additional Models	Trade Name	Rating	Description
XR-351A-1		250V~ 3A or 7.5A or 10A	Side-entry.
DS-310	DOSS	250V~ 3A or 7.5A or 10A	
DS-310R	DOSS	250V~ 3A or 7.5A or 10A	Side-entry.
PL3		250V~ 3A or 7.5A or 10A	



For and on Behalf of SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 and declared a RECS under Qld Electrical Safety Act 2002 and Electrical Safety Regulations 2013 certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.







Issued: 19-11-19 193180/2



Certificate No.: SAA-201552-EA

Certificate Holder:

Regulatory Definition: Appliance Connector

Product Description: C13 Appliance Connector for Class I Equipment for

Cold Conditions moulded with Flexible Cord

H05VV-F3G0.75-1.5mm² (Approval No. SAA-182409-EA); or H05RN-F 3G0.75-1.0mm² or H05RR-F 3G0.75-1.5mm²

(Approval No. SAA-162681-EA)

Trade Name:

Model No.: XR-501 Rating/Marking: 250V~ 10A

Standard: AS/NZS 60320.1:2012

Conditions:

Approval Mark: RCM and SAA-201552-EA

Date First Registered: 3 July 2020 Date of Expiry: 3 July 2025

R A. Nillo

For and on Behalf of SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 and declared a RECS under *Qld Electrical Safety Act 2002 and Electrical Safety Regulations 2013* certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to: www.saaapprovals.com.au







Issued: 07-07-20 201552/1a Certificate Information amended



Addendum

Certificate No.: SAA-201552-EA

Date of Issue: 3 July 2020

Regulatory Definition: Appliance Connector

Product Description: C13 Appliance Connector for Class I Equipment for

Cold Conditions moulded with Flexible Cord

H05VV-F3G0.75-1.5mm² (Approval No. SAA-182409-EA); or H05RN-F 3G0.75-1.0mm² or H05RR-F 3G0.75-1.5mm²

(Approval No. SAA-162681-EA)


Additional Models	Trade Name	Rating/Marking	Description
C13		250V~ 10A	C13 Appliance Connector for Class I Equipment for Cold Conditions moulded with Flexible Cord H05VV-F3G0.75-1.5mm² (Approval No. SAA-182409-EA); or H05RN-F 3G0.75-1.0mm² or H05RR-F 3G0.75-1.5mm² (Approval No. SAA-162681-EA).
DS-C13	DOSS	250V~ 10A	C13 Appliance Connector for Class I Equipment for Cold Conditions moulded with Flexible Cord H05VV-F3G0.75-1.5mm² (Approval No. SAA-182409-EA); or H05RN-F 3G0.75-1.0mm² or H05RR-F 3G0.75-1.5mm² (Approval No. SAA-162681-EA).
XR-501L		250V~ 10A	C13 Appliance Connector for Class I Equipment for Cold Conditions moulded with Flexible Cord H05VV-F3G0.75-1.5mm² (Approval No. SAA-182409-EA); or H05RN-F 3G0.75-1.0mm² or H05RR-F 3G0.75-1.5mm² (Approval No. SAA-162681-EA).
C13L		250V~ 10A	C13 Appliance Connector for Class I Equipment for Cold Conditions moulded with Flexible Cord H05VV-F3G0.75-1.5mm² (Approval No. SAA-182409-EA); or H05RN-F 3G0.75-1.0mm² or H05RR-F 3G0.75-1.5mm² (Approval No. SAA-162681-EA).



For and on Behalf of SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 and declared a RECS under *Qld Electrical Safety Act 2002 and Electrical Safety Regulations 2013* certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.









Issued: 07-07-20 201552/2a Certificate Information amended



Addendum

Certificate No.: SAA-201552-EA

Date of Issue: 3 July 2020

Regulatory Definition: Appliance Connector

Product Description: C13 Appliance Connector for Class I Equipment for

Cold Conditions moulded with Flexible Cord

H05VV-F3G0.75-1.5mm² (Approval No. SAA-182409-EA); or H05RN-F 3G0.75-1.0mm² or H05RR-F 3G0.75-1.5mm²

(Approval No. SAA-162681-EA)


Additional Models	Trade Name	Rating/Marking	Description
DS-C13L	DOSS	250V~ 10A	C13 Appliance Connector for Class I Equipment for Cold Conditions moulded with Flexible Cord H05VV-F3G0.75-1.5mm² (Approval No. SAA-182409-EA); or H05RN-F 3G0.75-1.0mm² or H05RR-F 3G0.75-1.5mm² (Approval No. SAA-162681-EA).
XR-501R		250V~ 10A	C13 Appliance Connector for Class I Equipment for Cold Conditions moulded with Flexible Cord H05VV-F3G0.75-1.5mm² (Approval No. SAA-182409-EA); or H05RN-F 3G0.75-1.0mm² or H05RR-F 3G0.75-1.5mm² (Approval No. SAA-162681-EA).
C13R		250V~ 10A	C13 Appliance Connector for Class I Equipment for Cold Conditions moulded with Flexible Cord H05VV-F3G0.75-1.5mm² (Approval No. SAA-182409-EA); or H05RN-F 3G0.75-1.0mm² or H05RR-F 3G0.75-1.5mm² (Approval No. SAA-162681-EA).
DS-C13R	DOSS	250V~ 10A	C13 Appliance Connector for Class I Equipment for Cold Conditions moulded with Flexible Cord H05VV-F3G0.75-1.5mm² (Approval No. SAA-182409-EA); or H05RN-F 3G0.75-1.0mm² or H05RR-F 3G0.75-1.5mm² (Approval No. SAA-162681-EA).



For and on Behalf of SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 and declared a RECS under *Qld Electrical Safety Act 2002 and Electrical Safety Regulations 2013* certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.







Issued: 07-07-20 201552/3



Addendum

Certificate No.: SAA-201552-EA

Date of Issue: 3 July 2020

Regulatory Definition: Appliance Connector

Product Description: C13 Appliance Connector for Class I Equipment for

Cold Conditions moulded with Flexible Cord

H05VV-F3G0.75-1.5mm² (Approval No. SAA-182409-EA); or H05RN-F 3G0.75-1.0mm² or H05RR-F 3G0.75-1.5mm²

(Approval No. SAA-162681-EA)


Additional Models	Trade Name	Rating/Marking	Description
XR-503		250V~ 2.5A	C7 Appliance Connector for Class II Equipment and Cold Conditions moulded with Flexible Cord H05VVH2-F 2x0.75mm² or H03VVH2-F 2x0.5-0.75mm² (Approval No. SAA-182409-EA).
C7		250V~ 2.5A	C7 Appliance Connector for Class II Equipment and Cold Conditions moulded with Flexible Cord H05VVH2-F 2x0.75mm ² or H03VVH2-F 2x0.5-0.75mm ² (Approval No. SAA-182409-EA).
DS-C7	DOSS	250V~ 2.5A	C7 Appliance Connector for Class II Equipment and Cold Conditions moulded with Flexible Cord H05VVH2-F 2x0.75mm ² or H03VVH2-F 2x0.5-0.75mm ² (Approval No. SAA-182409-EA).
XR-503L		250V~ 2.5A	C7 Appliance Connector for Class II Equipment and Cold Conditions moulded with Flexible Cord H05VVH2-F 2x0.75mm² or H03VVH2-F 2x0.5-0.75mm² (Approval No. SAA-182409-EA).



For and on Behalf of SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 and declared a RECS under *Qld Electrical Safety Act 2002 and Electrical Safety Regulations 2013* certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.







Issued: 07-07-20 201552/4



Addendum

Certificate No.: SAA-201552-EA

Date of Issue: 3 July 2020

Regulatory Definition: Appliance Connector

Product Description: C13 Appliance Connector for Class I Equipment for

Cold Conditions moulded with Flexible Cord

H05VV-F3G0.75-1.5mm² (Approval No. SAA-182409-EA); or H05RN-F 3G0.75-1.0mm² or H05RR-F 3G0.75-1.5mm²

(Approval No. SAA-162681-EA)

Additional Models	Trade Name	Rating/Marking	Description
C7L		250V~ 2.5A	C7 Appliance Connector for Class II Equipment and Cold Conditions moulded with Flexible Cord H05VVH2-F 2x0.75mm² or H03VVH2-F 2x0.5-0.75mm² (Approval No. SAA-182409-EA).
DS-C7L	DOSS	250V~ 2.5A	C7 Appliance Connector for Class II Equipment and Cold Conditions moulded with Flexible Cord H05VVH2-F 2x0.75mm ² or H03VVH2-F 2x0.5-0.75mm ² (Approval No. SAA-182409-EA).

RANILL

For and on Behalf of SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 and declared a RECS under *Qld Electrical Safety Act 2002 and Electrical Safety Regulations 2013* certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to: www.saaapprovals.com.au





Issued: 07-07-20 201552/5